



Molecular diagnostic testing for animals.

### Assay Results Report 21061109

<input type="checkbox"/> Fax to:
<input checked="" type="checkbox"/> E-mail to: info@tripleffarmsresearch.com
<input type="checkbox"/> Hard copy to:
Date results transmitted: 17jun21

Client: Triple F Farms LLC	Client #: 1312121
Contact name: Sarah M Fallenstein	PO #: Per Sarah
Date samples received: 11jun21	

Initials     *AS*    

Client sample ID	Zoologix accession ID	Sample type	Assay	Assay result
Barn 11	2106110020	3 oral swabs + 3 fecal swabs	B0006	Negative
Barn 11	2106110020	3 oral swabs + 3 fecal swabs	B0035	Negative
Barn 11	2106110020	3 oral swabs + 3 fecal swabs	B0040	Negative
Barn 11	2106110020	3 oral swabs + 3 fecal swabs	B0045	Negative
Barn 11	2106110020	3 oral swabs + 3 fecal swabs	B0094	Negative
Barn 11	2106110020	3 oral swabs + 3 fecal swabs	B0095	Negative
Barn 11	2106110020	3 oral swabs + 3 fecal swabs	B0096	Negative
Barn 11	2106110020	3 oral swabs + 3 fecal swabs	B0097	Negative
Barn 11	2106110020	3 oral swabs + 3 fecal swabs	B0098	Negative
Barn 11	2106110020	3 oral swabs + 3 fecal swabs	P0008	Negative
Barn 11	2106110020	3 oral swabs + 3 fecal swabs	S0077	Negative
Barn 11	2106110020	3 oral swabs + 3 fecal swabs	S0118	Negative
Barn 11	2106110020	3 oral swabs + 3 fecal swabs	S0130	Negative
Barn 11	2106110020	3 oral swabs + 3 fecal swabs	S0185	Negative
Barn 11	2106110020	3 oral swabs + 3 fecal swabs	X0002	Negative
Barn 11	2106110020	3 oral swabs + 3 fecal swabs	X0017	Negative
Barn 12	2106110021	3 oral swabs + 3 fecal swabs	B0006	Negative
Barn 12	2106110021	3 oral swabs + 3 fecal swabs	B0035	Negative
Barn 12	2106110021	3 oral swabs + 3 fecal swabs	B0040	Negative

Initials 

Client sample ID	Zoologix accession ID	Sample type	Assay	Assay result
Barn 12	2106110021	3 oral swabs + 3 fecal swabs	B0045	Negative
Barn 12	2106110021	3 oral swabs + 3 fecal swabs	B0094	Negative
Barn 12	2106110021	3 oral swabs + 3 fecal swabs	B0095	Negative
Barn 12	2106110021	3 oral swabs + 3 fecal swabs	B0096	Negative
<b>Barn 12</b>	<b>2106110021</b>	<b>3 oral swabs + 3 fecal swabs</b>	<b>B0097</b>	<b>Positive</b>
Barn 12	2106110021	3 oral swabs + 3 fecal swabs	B0098	Negative
Barn 12	2106110021	3 oral swabs + 3 fecal swabs	P0008	Negative
Barn 12	2106110021	3 oral swabs + 3 fecal swabs	S0077	Negative
Barn 12	2106110021	3 oral swabs + 3 fecal swabs	S0118	Negative
Barn 12	2106110021	3 oral swabs + 3 fecal swabs	S0130	Negative
Barn 12	2106110021	3 oral swabs + 3 fecal swabs	S0185	Negative
Barn 12	2106110021	3 oral swabs + 3 fecal swabs	X0002	Negative
Barn 12	2106110021	3 oral swabs + 3 fecal swabs	X0017	Negative
Barn 13	2106110022	3 oral swabs + 3 fecal swabs	B0006	Negative
Barn 13	2106110022	3 oral swabs + 3 fecal swabs	B0035	Negative
Barn 13	2106110022	3 oral swabs + 3 fecal swabs	B0040	Negative
Barn 13	2106110022	3 oral swabs + 3 fecal swabs	B0045	Negative
Barn 13	2106110022	3 oral swabs + 3 fecal swabs	B0094	Negative
Barn 13	2106110022	3 oral swabs + 3 fecal swabs	B0095	Negative
Barn 13	2106110022	3 oral swabs + 3 fecal swabs	B0096	Negative
<b>Barn 13</b>	<b>2106110022</b>	<b>3 oral swabs + 3 fecal swabs</b>	<b>B0097</b>	<b>Positive</b>
Barn 13	2106110022	3 oral swabs + 3 fecal swabs	B0098	Negative
Barn 13	2106110022	3 oral swabs + 3 fecal swabs	P0008	Negative
Barn 13	2106110022	3 oral swabs + 3 fecal swabs	S0077	Negative

Initials 

Client sample ID	Zoologix accession ID	Sample type	Assay	Assay result
Barn 13	2106110022	3 oral swabs + 3 fecal swabs	S0118	Negative
Barn 13	2106110022	3 oral swabs + 3 fecal swabs	S0130	Negative
Barn 13	2106110022	3 oral swabs + 3 fecal swabs	S0185	Negative
Barn 13	2106110022	3 oral swabs + 3 fecal swabs	X0002	Negative
Barn 13	2106110022	3 oral swabs + 3 fecal swabs	X0017	Negative
Barn 14	2106110023	3 oral swabs + 3 fecal swabs	B0006	Negative
Barn 14	2106110023	3 oral swabs + 3 fecal swabs	B0035	Negative
Barn 14	2106110023	3 oral swabs + 3 fecal swabs	B0040	Negative
Barn 14	2106110023	3 oral swabs + 3 fecal swabs	B0045	Negative
Barn 14	2106110023	3 oral swabs + 3 fecal swabs	B0094	Negative
Barn 14	2106110023	3 oral swabs + 3 fecal swabs	B0095	Negative
Barn 14	2106110023	3 oral swabs + 3 fecal swabs	B0096	Negative
<b>Barn 14</b>	<b>2106110023</b>	<b>3 oral swabs + 3 fecal swabs</b>	<b>B0097</b>	<b>Positive</b>
Barn 14	2106110023	3 oral swabs + 3 fecal swabs	B0098	Negative
Barn 14	2106110023	3 oral swabs + 3 fecal swabs	P0008	Negative
Barn 14	2106110023	3 oral swabs + 3 fecal swabs	S0077	Negative
Barn 14	2106110023	3 oral swabs + 3 fecal swabs	S0118	Negative
Barn 14	2106110023	3 oral swabs + 3 fecal swabs	S0130	Negative
Barn 14	2106110023	3 oral swabs + 3 fecal swabs	S0185	Negative
Barn 14	2106110023	3 oral swabs + 3 fecal swabs	X0002	Negative
Barn 14	2106110023	3 oral swabs + 3 fecal swabs	X0017	Negative
Barn 15	2106110024	3 oral swabs + 3 fecal swabs	B0006	Negative
Barn 15	2106110024	3 oral swabs + 3 fecal swabs	B0035	Negative
Barn 15	2106110024	3 oral swabs + 3 fecal swabs	B0040	Negative

Initials                     

Client sample ID	Zoologix accession ID	Sample type	Assay	Assay result
Barn 15	2106110024	3 oral swabs + 3 fecal swabs	B0045	Negative
Barn 15	2106110024	3 oral swabs + 3 fecal swabs	B0094	Negative
Barn 15	2106110024	3 oral swabs + 3 fecal swabs	B0095	Negative
Barn 15	2106110024	3 oral swabs + 3 fecal swabs	B0096	Negative
<b>Barn 15</b>	<b>2106110024</b>	<b>3 oral swabs + 3 fecal swabs</b>	<b>B0097</b>	<b>Positive</b>
Barn 15	2106110024	3 oral swabs + 3 fecal swabs	B0098	Negative
Barn 15	2106110024	3 oral swabs + 3 fecal swabs	P0008	Negative
Barn 15	2106110024	3 oral swabs + 3 fecal swabs	S0077	Negative
Barn 15	2106110024	3 oral swabs + 3 fecal swabs	S0118	Negative
Barn 15	2106110024	3 oral swabs + 3 fecal swabs	S0130	Negative
Barn 15	2106110024	3 oral swabs + 3 fecal swabs	S0185	Negative
Barn 15	2106110024	3 oral swabs + 3 fecal swabs	X0002	Negative
Barn 15	2106110024	3 oral swabs + 3 fecal swabs	X0017	Negative
Barn 16	2106110025	3 oral swabs + 3 fecal swabs	B0006	Negative
Barn 16	2106110025	3 oral swabs + 3 fecal swabs	B0035	Negative
Barn 16	2106110025	3 oral swabs + 3 fecal swabs	B0040	Negative
Barn 16	2106110025	3 oral swabs + 3 fecal swabs	B0045	Negative
Barn 16	2106110025	3 oral swabs + 3 fecal swabs	B0094	Negative
Barn 16	2106110025	3 oral swabs + 3 fecal swabs	B0095	Negative
Barn 16	2106110025	3 oral swabs + 3 fecal swabs	B0096	Negative
<b>Barn 16</b>	<b>2106110025</b>	<b>3 oral swabs + 3 fecal swabs</b>	<b>B0097</b>	<b>Positive</b>
Barn 16	2106110025	3 oral swabs + 3 fecal swabs	B0098	Negative
Barn 16	2106110025	3 oral swabs + 3 fecal swabs	P0008	Negative
Barn 16	2106110025	3 oral swabs + 3 fecal swabs	S0077	Negative

Initials 

Client sample ID	Zoologix accession ID	Sample type	Assay	Assay result
Barn 16	2106110025	3 oral swabs + 3 fecal swabs	S0118	Negative
Barn 16	2106110025	3 oral swabs + 3 fecal swabs	S0130	Negative
Barn 16	2106110025	3 oral swabs + 3 fecal swabs	S0185	Negative
Barn 16	2106110025	3 oral swabs + 3 fecal swabs	X0002	Negative
Barn 16	2106110025	3 oral swabs + 3 fecal swabs	X0017	Negative

Initials 

Client sample ID	Zoologix accession ID	Sample type	Assay	Assay result
------------------	-----------------------	-------------	-------	--------------

Assay descriptions and notes

Assay B0006: Qualitative screen for *Campylobacter* by ultrasensitive real time PCR. Assay detects but does not differentiate *Campylobacter jejuni*, *C. coli* and *C. lari*.

Assay B0035: Ultrasensitive qualitative detection of *Lawsonia intracellularis* by real time PCR

Assay B0040: Ultrasensitive qualitative detection of *Salmonella* by real time PCR

Assay B0045: Ultrasensitive qualitative detection of *Pasteurella multocida* by real time PCR

Assay B0094: Ultrasensitive qualitative detection of *Staphylococcus xylosus* by real time PCR

Assay B0095: Ultrasensitive qualitative detection of *Staphylococcus aureus* by real time PCR

Assay B0096: Ultrasensitive qualitative detection of *Mycoplasma mustelae* by real time PCR

Assay B0097: Ultrasensitive qualitative detection of *Helicobacter mustelae* by real time PCR

Assay B0098: Ultrasensitive qualitative detection of *Streptococcus* (including beta hemolytic groups B/C/G and *Strep pneumoniae*) by real time PCR

Assay P0008: Ultrasensitive *Cryptosporidium* species screen by real time PCR. This assay detects but does not differentiate *Cryptosporidium* species.

Assay S0077: Ultrasensitive qualitative detection of influenza virus by reverse transcription coupled real time PCR. This assay detects but does not differentiate most known strains of influenza A viruses, including H5N1, H5N2, H1N1, H2N2, H3N8, H4N6, H7N7, H8N4 and H9N2.

Assay S0118: Ultrasensitive qualitative detection of Aleutian disease virus by real time PCR

Assay S0130: Ultrasensitive qualitative rotavirus screen by reverse transcription coupled real time PCR. Assay detects but does not differentiate many common strains of rotavirus.

Assay S0185: Ultrasensitive detection of ferret respiratory enteric coronavirus by reverse transcription coupled real time PCR

Assay X0002: Ultrasensitive qualitative detection of *Toxoplasma gondii* by real time PCR

Assay X0017: Ultrasensitive qualitative detection of *Giardia* by real time PCR

*Zoologix has verified the performance characteristics of these tests. However, diagnosis and management of the animal patient should not rely solely upon the results of these tests, as unusual genetic variations of the pathogen can affect results. Correlation with other clinical data is recommended. Specimens will be held for six months by Zoologix to facilitate followup testing, after which time specimens will be disposed of at the discretion of Zoologix unless otherwise directed by client.*